




### Typology: conference

Steel is the first armchair seating collection designed especially for conference, auditorium, theatres and cinemas completely built in high resistance stamped steel. This makes it a very durable product for large and small application environments.

The Steel range can satisfy every request customized finishes and bespoke solutions: high and low backrest versions, different arm styles and accessories.

The new tip-up writing ledge N-table is suitable for lap-top use. Very strong is designed for rooms with curved configuration or steps and can be arranged for cable passages.

## Dimensions



## Available finishes

**Upholstery:** Fabric, Ecoleather, Leather

## Technical Characteristics

### Structure:

High resistance stamped and rolled steel frame, epoxy anti-scratch powder coated standard version Ral 9006 aluminium colour or Carmin Red, Cobalt Blue, Bronze, Slate Black or Graphite Grey.

Backrests in 2 different height all available in three different inclination positions to improve comfort and visual.

### Padding:

Seat and backrest: fire retardant cold foamed polyurethane padding, density 70 Kg/mc.

Padded and upholstered parts can be easily removed avoiding to disassemble structural parts of the chair.

### Base:

The floor mounting foot is a stamped steel plate. Finish is in gun metal colour epoxy powder coat.

### Armrests:

Upholstered or polypropylene armrests.





## Mechanism

Steel spring recovery system tip up seat mechanism, anti-creaking with "security system".

## Accessories

Anti-panic foldaway writing tablet 220x380x8 mm;  
single table with flip-up top mechanism antipanic type;  
n-table;  
floor mounted feet for sloped floors;  
arrangement for curved rows;




## Certificates

The armchair has passed the most rigorous tests and provides extensive guarantees on the quality of the used materials.

## Steel independent table



## Dimensions



## Available finished

Structure: RAL 9006

Top: in postformed laminate W. 480 D. 300 Th. 30 mm - finish: Light Grey - beech

## Technical characteristics

### Structure:

The floor mounting foot is in aluminium epoxy lacquered in RAL9006 finish.

The leg is arectangular metal column epoxy lacquered in RAL 9006 finish.

The flip up top mechanism is an anti-panic type made of stamped steel plate in aluminium colour, epoxy powder coated.

### Top:

In postformed laminate, light grey finish.